

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	"5329596"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 13:12
L2	42	"5832182"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 13:12
L3	15	"5832482"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 13:13
L4	23	"5875285"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 13:13
L5	38	"5884305"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 13:14
L6	9	"6263337"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 13:14
S1	2314	(discrete or continuous\$2) with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 09:58
S2	23011	discrete with continuous	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 09:58
S3	2707	cluster\$3 with model\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 09:59
S4	4056	mean and (co\$variance or covariance or co\$variance or covariance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 09:59
S5	2918	(max or maximiz\$5) with cluster\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:01
S6	17	(S1 or S2) and S3 and S4 and S5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 10:43

S7	1	99/62007	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/03 12:53
S8	9	"6263337"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:06
S9	16	"5875258"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:07
S10	19	"5329596"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:09
S11	12234	boolean and (bit or bitmap or bit\$map or (bit adj map))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:30
S12	4056	mean and (co\$variance or covariance or co\$variance or covariance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:09
S13	63	S12 and S11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:10
S14	2314	(discrete or continuous\$2) with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:10
S15	4	S13 and S14	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:10
S16	14391	boolean and (binary bit or bitmap or bit\$map or (bit adj map))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:22
S17	5	S16 and S12 and S14	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:30
S18	2707	cluster\$3 with model\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:30

S20	2154	boolean with (bit or bitmap or bit\$map or (bit adj map))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:30
S21	22	S20 and S18	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:32
S22	1969	((zero\$2 and one\$1) or (on and off) or bit or binary) and cluster\$3 and boolean	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:54
S23	49	S14 and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 09:54
S24	9	"6263337"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:16
S25	2314	(discrete or continuous\$2) with attribute	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:17
S26	12234	boolean and (bit or bitmap or bit\$map or (bit adj map))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:16
S27	277	S25 and S26	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:17
S28	3	((discrete or continuous\$2) with attribute) same (boolean and (bit or bitmap or bit\$map or (bit adj map) or binary))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:21
S29	315	((discrete or continuous\$2) with attribute) and (boolean and (bit or bitmap or bit\$map or (bit adj map) or binary))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:22
S30	14	((discrete or continuous\$2) with attribute) and (boolean with (bit or bitmap or bit\$map or (bit adj map) or binary))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:22
S31	219	threshold and distance and S25 and S26	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:25

S32	6	S30 and S31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:39
S33	2707	cluster\$3 with model\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:41
S34	2	S27 and S33	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:39
S35	27	S27 and cluster\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 13:42
S36	90180	" CF "	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 14:54
S37	23011	discrete with continuous	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 14:54
S38	2707	cluster\$3 with model\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 14:54
S39	4056	mean and (co\$variance or covariance or co\$variance or covariance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 14:54
S40	3	S36 AND S37 AND S38 AND S39	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/06 14:54
S41	1639310	(zeros and ones) or ("=0" and "=1") or ("0's" and "1's")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 07:42
S42	3844	S41 and (cluster\$3 same model\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 07:46
S43	12250	boolean and (bit or bitmap or bit\$map or (bit adj map))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 07:47

S44	15953	S42 or S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 07:52
S45	4062	mean and (co\$variance or covariance or co\$variance or covariance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 07:52
S46	390	S45 and S44	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 07:52
S47	23030	discrete with continuous	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 07:52
S48	71	S47 and S46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 07:53
S49	1	"60086410"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 08:54
S50	9	"6263337"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 08:56
S51	1	"09083906"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/12/07 08:56